What is claimed is:

- 1. Use of benzisoselenazolones in the preparation of medicament against ischemic myocardial injury.
- 2. Use as set forth in claim 1, characterized that said medicament targets Na⁺/Ca²⁺ exchanger.
- 3. Use as set forth in claim 1, characterized that said benzisoselenazolone is represented by formula (I),

$$R_1 = \bigcup_{S \in \mathbb{N}} N - R_2 - R_3$$

wherein R_1 is selected from a hydrogen, a halogen, a C_1 - C_4 linear or branched alkyl, a C_1 - C_4 linear or branched alkoxy, a hydroxy, a trifluoromethyl, a nitro, a di- $(C_1$ - C_4 alkyl)-amino, or a methylenedioxy group, the substitution site of R_1 may be any one of the 3-, 4-, 5- or 6-position of the benzene ring of benzisoselenolone;

 R_2 is a C_0 - C_4 saturated or unsaturated alkyl, where R_2 is a bond connecting R3 and nitrogen when R_2 being C_0 ;

R3 represents a saturated or unsaturated, substituted or unsubstituted phenyl or heterocyclic radical, said heterocyclic radical has 1 to 4 hetero atoms being selected from oxygen, nitrogen or sulphur.

4. Use as set forth in claim 3, characterized that said benzisoselenazolone is represented by formula (I),

$$R_1 = \bigcup_{S \in \mathbb{N}} N_- R_2 - R_3$$

wherein R_1 is selected from a hydrogen, a halogen, a C_1 - C_4 linear or branched alkyl, a C_1 - C_4 linear or branched alkoxy, a hydroxy, a trifluoromethyl, a nitro, a di- $(C_1$ - C_4 alkyl)-amino, or a methylenedioxy group, the substitution site of R_1 may be any one of the 3-, 4-, 5- or 6-position of the benzene ring of

benzisoselenolone;

 R_2 is a C_0 - C_2 saturated or unsaturated alkyl, where R_2 is a bond connecting R3 and nitrogen while R_2 being C_0 ;

R3 represents a saturated or unsaturated, substituted or unsubstituted phenyl or heterocyclic radical, said heterocyclic radical has 1 to 2 hetero atoms selected from oxygen, nitrogen or sulphur and said heterocyclic radical may be mono- or di- substituted where the substituents may be identical or different, being selected from the group consisting of halogen, C_1 - C_4 linear or branched alkyl, C_1 - C_4 linear or branched alkoxy, C_1 - C_4 linear or branched haloalkyl, hydroxy, thio, nitro, cyano, carboxyl, and alkoxycarbonyl.

5. Use as set forth in claim 4, characterized that said benzisoselenazolone is represented by formula (I),

wherein R_1 is selected from a hydrogen, a halogen, a C_1 - C_4 linear or branched alkyl, a C_1 - C_4 linear or branched alkoxy, a hydroxy, a trifluoromethyl, a nitro, a di- $(C_1$ - C_4 alkyl)-amino, or a methylenedioxy group, the substitution site of R_1 may be any one of the 3-, 4-, 5- or 6-position of the benzene ring of benzisoselenolone;

R₂ is a bond connecting R3 and nitrogen;

R3 represents a substituted or unsubstituted, saturated or unsaturated phenyl or heterocyclic radical, said heterocyclic having 1 to 2 hetero atoms selected from oxygen, nitrogen or sulphur, and may be mono- or disubstituted, where the substituent being identical or different, being selected from the group consisting of halogen, C_1 - C_4 linear or branched alkyl, C_1 - C_4 linear or branched alkyl, C_1 - C_4 linear or branched haloalkyl, C_1 - C_4 linear or branched keto, hydroxy, thio, nitro, cyano,

carboxyl, and alkoxycarbonyl.

6. Use as set forth in claim 5, characterized that said benzisoselenazolone is represented by formula (I),

$$R_1$$
 $N-R_2-R_3$
(I)

wherein R_1 is selected from a hydrogen, a halogen, a C_1 - C_4 linear or branched alkyl, a C_1 - C_4 linear or branched alkoxy, a hydroxy, a trifluoromethyl, a nitro, a di- $(C_1$ - C_4 alkyl)-amino, or a methylenedioxy group, the substitution site of R_1 may be any one of the 3-, 4-, 5- or 6-position of the benzene ring of benzisoselenolone;

R₂ is a bond connecting R3 and nitrogen;

R3 represents a substituted or unsubstituted phenyl, phenylthio, thiazolyl, isothiazolyl, imidazolyl, pyrazolyl, thiadiazolyl, pyridyl, pyrimidyl, pyrazinyl, pyridazinyl, benzothiazolyl, benzimidazolyl, benzotriazolyl, triazinyl, triazolyl, tetrazolyl, quinolinyl, isoquinolinyl, indolyl, indazolyl, carbazolyl, furyl, which may be mono- or di- substituted, where the substituent being identical or different, and is selected from the group consisting of halogen, C_1 - C_4 linear or branched alkyl, C_1 - C_4 linear or branched haloalkyl, C_1 - C_4 linear or branched keto, hydroxy, thio, nitro, cyano, carboxyl, and alkoxycarbonyl.

7. Use as set forth in claim 6, characterized that said benzisoselenazolone is represented by formula (I),

$$R_1$$
 N_1 N_2 R_2 R_3

wherein R_1 is selected from a hydrogen, a halogen, a C_1 - C_4 linear or branched alkyl, a C_1 - C_4 linear or branched alkoxy, a hydroxy, a trifluoromethyl, a nitro,

a di- $(C_1$ - C_4 alkyl)-amino, or a methylenedioxy group, the substitution site of R_1 may be any one of the 3-, 4-, 5- or 6-position of the benzene ring of benzisoselenolone;

R₂ is a bond connecting R3 and nitrogen;

R3 represents a substituted or unsubstituted phenyl or pyridyl, which may be mono- or di- substituted, where the substituent being identical or different, and is selected from fluoro, chloro, bromo, methyl, methoxy, ethoxy, methylthio, hydroxy, thio, nitro, carboxyl, methoxycarbonyl and ethoxycarbonyl.

- 8. Use as set forth in claim 1, characterized that said benzisoselenazolone is selected from:
 - 2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 4-fluoro-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 5-fluoro-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 6-fluoro-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 7-fluoro-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 4-chloro-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 5-chloro-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 6-chloro-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 7-chloro-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 4-hydroxy-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 5-hydroxy-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 6-hydroxy-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 7-hydroxy-2-phenyl-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(4-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 4-chloro-2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 4-chloro-2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,

```
4-chloro-2-(4-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
5-chloro-2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
5-chloro-2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
5-chloro-2-(4-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
6-chloro-2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
6-chloro-2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
6-chloro-2-(4-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
7-chloro-2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
7-chloro-2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
7-chloro-2-(4-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
4-fluoro-2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
4-fluoro-2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
4-fluoro-2-(4-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
5-fluoro-2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
5-fluoro-2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
5-fluoro-2-(4-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
6-fluoro-2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
6-fluoro-2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one
6-fluoro-2-(4-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
7-fluoro-2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
7-fluoro-2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
7-fluoro-2-(4-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
4-hydroxy-2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
4-hydroxy-2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
4-hydroxy-2-(4-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
5-hydroxy-2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
5-hydroxy-2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
5-hydroxy-2-(4-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
6-hydroxy-2-(2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
```

```
6-hydroxy-2-(3-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
```

- 2-(3-methyl-2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(4-methyl-2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-methyl-2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(6-methyl-2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(3, 5-dichloro-2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(4-chloro-2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(4-carboxyl-5-chloro-2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(3-carboxyl-2-pyridyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(2-tetrahydropyridyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(2-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,

- 2-(2-thiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(benzothiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(4-methyl-2-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-nitro-2-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(4, 6-dimethyl-2-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
- (2, 6-dimethyl-4-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-ethoxy-2-ethylthio-4-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-ethoxycarbonyl-2-hydroxy-4-pyrimidinyl)-1,2-benzisoselenazol-3(2H)- one,
 - 2-(5-carboxyl-4-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(6-chloro-2-methylthio-4-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(4-chloro-2-methylthio-6-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(4-chloro-6-methyl-2-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(6-chloro-3-nitro-2-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-chloro-5-nitro-4-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(4, 6-dichloro-2-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(4, 6-dichloro-5-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(4, 6-dihydroxy-2-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2, 6-dihydroxy-4-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2, 4-dihydroxy-5-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(4, 6-dithio-2-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(6-hydroxy-2-thio-4-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(6-hydroxy-2-methylmercapto-4-pyrimidinyl)-1, 2-benzisoselenazol-3 (2H)- one,
 - 2-(4-hydroxy-6-methyl-2-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-hydroxy-5-methyl-4-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(1-benzopyrazolo(3, 4-d)pyrimidin-4-yl)-1, 2-benzisoselenazol-

```
3(2H)-one,
```

- 2-(pyrazolo(3, 4-d)pyrimidin-4-yl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(6-hydroxypyrazolo(3, 4-d)pyrimidin-4-yl)-1, 2-benzisoselenazol-3(2H)- one,
- 2-(6-thiopyrazolo(3, 4-d)pyrimidin-4-yl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-hydroxy-4-pyrimidinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(4-chloro-2-benzothiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(4-methoxy-2-benzothiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(6-methoxy-2-benzothiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(4-methyl-2-benzothiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-methyl-5-benzothiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(6-nitro-2-benzothiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(6-bromo-2-benzothiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(5, 6-dimethyl-2-benzothiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(6-ethoxy-2-benzothiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 6-methyl-2-(2-thiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 6-chloro-2-(2-thiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 6-methoxy-2-(2-thiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 5-nitro-2-(2-thiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 5-chloro-2-(2-thiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 7-methoxy-2-(2-thiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 6, 7-methylenedioxy-2-(2-thiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(4-methyl-2-thiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(5-nitro-2-thiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-thiazolinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(5-chloro-2-thiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(3-methyl-5-isothiazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-imidazolyl)-1, 2-benzisoselenazol-3(2H) one,

- 2-(5-ethoxycarbonyl-2-imidazolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(3-pyrazolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(4-cyano-5-pyrazolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(4-ethoxycarbonyl-3-pyrazolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(4-ethoxycarbonyl-2-phenyl-3-pyrazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(4-cyano-3-pyrazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-phenyl-3-pyrazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(1-phenyl-5-pyrazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(1-phenyl-5-pyrazolinon-3-yl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(5-hydroxy-3-pyrazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(1, 3, 4-thiadiazolyl-2-yl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(5-thio-1, 3, 4-thiadiazolyl-2-yl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(5-methyl-1, 3, 4-thiadiazolyl-2-yl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-trifluoromethyl-1, 3, 4-thiadiazolyl-2-yl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(5-tert-butyl-1, 3, 4-thiadiazolyl-2-yl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-pyrazinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-carboxyl-3-pyrazinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-pyridazinyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-benzimidazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(5, 6-dimethyl-2-benzimidazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(5-benzotriazolyl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(7-chloro-1, 2, 4-benzotriazinyl-3-yl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(1, 2, 4-benzotriazinyl-3-yl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(7-bromo-1, 2, 4-benzotriazinyl-3-yl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(7-fluoro-1, 2, 4-benzotriazinyl-3-yl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(7-nitro-1, 2, 4-benzotriazinyl-3-yl)-1, 2-benzisoselenazol-3(2H)-one,
 - 2-(2-benzothienyl)-1, 2-benzisoselenazol-3(2H)-one,

- 2-(3-benzothienyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(2-thienyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(2, 1, 3-benzothiadiazolyl-4-yl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(1, 2, 4-triazinyl-4-yl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(2, 6-dithio-1, 3, 5-triazinyl-4-yl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5, 6-dimethyl-1, 2, 4-triazinyl-3-yl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5, 6-diphenyl-1, 2, 4-triazinyl-3-yl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(1, 2, 4-triazolyl-4-yl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-thio-1, 2, 4-triazolyl-3-yl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-tetrazolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-quinolinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(2-methyl-4-quinolinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(6-nitro-5-quinolinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(1, 2, 3, 4-tetrahydroquinolin-8-yl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(2-quinolinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(3-quinolinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(8-quinolinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2(6-methoxy-8-quinolinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(1-isoquinolinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-isoquinolinyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-indolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-isoindolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(5-indazolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(6-chloro-3-indazolyl)-1, 2-benzisoselenazol-3(2H)-one
- 2-(6-indazolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(7-indazolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(9-ethyl-3-carbazolyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-[(3,4-dihydroimidazol-2-yl)-2-ethenyl]-1,2-benzisoselenazol-3(2H)-one,

- 2-(2-pyridylmethyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-(2-furylmethyl)-1, 2-benzisoselenazol-3(2H)-one,
- 2-[4-(2-hydroxyimino-ethyl)]-1, 2-benzisoselenazol-3(2H)-one, and
- 2-[4-(7-n-butyl-benzo(1, 2-c-dihydrofuran-2-one))]-1,
- 2-benzisoselenazol-3 (2H)-one.
- 9. Use of a composition comprising a benzisoselenazolone compound for the preparation of a medicament against ischemic myocardial injury.